ENVIRONMENTAL HEALTH SERVICES



TECHNICAL BULLETIN NO. 05 VV



DANIEL J. AVERA, R.E.H.S., Division Chief

REQUIRED SIGNS FOR POOLS

1. "WARNING - NO LIFEGUARD ON DUTY"

- Required at all pools where lifeguard service is not provided.
- Letters must be at least 4" high.
- Sign must be located in plain view of persons entering the pool area.
- Sign shall also state "Children Under The Age of 14 Should Not Use Pool Without An Adult In Attendance."

2. ARTIFICIAL RESPIRATION PROCEDURES

- Sign must have illustrated diagrams with instructions.
- Sign must be posted within the pool enclosure and be clearly visible.

3. **EMERGENCY TELEPHONE NUMBERS**

- Shall have "911" emergency number as a minimum.
- Shall include instructions to commence and continue artificial respiration procedures if necessary.
- Shall be clearly posted within pool enclosure <u>and</u> also adjacent to a nearby telephone if one exists.

4. OCCUPANCY LOAD SIGN

- Must have clearly legible letter/numerals not less than 4" high.
- Must be posted in a conspicuous place near entrance(s).
- Shall indicate the maximum number of occupants permitted for each pool. Occupant capacity limit is based on a minimum of 20 square feet of pool surface area per person.
- Exception: Occupant capacity limits do not apply to wading pools.

5. "NO DIVING ALLOWED"

- REQUIRED ONLY AT POOLS WITH MAXIMUM DEPTHS OF LESS THAN 6 (SIX) FEET.
- Must have clearly legible letters not less than 4" high.
- Must be posted in a conspicuous place.

NOTE: ALL REQUIRED SIGNS SHALL BE PROTECTED AGAINST THE ELEMENTS AND MAINTAINED IN A LEGIBLE MANNER.